Molecular Ecology (1999) 8, 2153–2165

Author index

Abe S see Ishibashi Y
Abe T see Isagi Y
Adams RP, Zhong M, Fei Y. Preservation of DNA in plant specimens: inactivation and re-activation of DNases in field specimens, 681
Adcock GJ, Carvalho GR, Rodhouse PG, Shaw PW. Highly polymorphic microsatellite loci of the heavily fished squid genus *Illex* (Ommastrephidae), 165
Agnese JF see Pouyaud L
Agustí N, De Vicente M, Gabarra C. Development of sequence amplified characterized region (SCAR) markers of *Helicoverpa armigera*: a new polymerase chain reaction-based technique for predator gut analysis, 1467
Allainguillaume J see Maunder M
Allemann C, Hoegger P, Heiniger U, Rigling D. Genetic variation of *Cryphonectria* hypoviruses (CHV1) in Europe, assessed using restriction fragment length polymorphism (RFLP) markers, 843
Allen PJ see Worthington Wilmer J
Allendorf F see Funk WC
Allnutt TR, Newton AC, Lara A, Premoli A, Armesto JJ, Vergara R, Gardner M. Genetic variation in *Fitzroya cupressoides* (alerce), a threatened South American conifer, 975
Aloali'i II see Richards NK
Amarell U see Neuffer B
Amorim IR see Vilà C
Amos W see McRae SB
Amos W see Worthington Wilmer J
Amstrup SC see Paetkau D
Anamthawat-Jónsson K, Bragason B Th, Bödvarsdóttir SK, Koebner RMD. Molecular variation in *Leymus* species and populations, 309
Andersen B see Snow AA
Angers B, Magnan P, Plante M, Bernatchez L. Canonical correspondence analysis for estimating spatial and environmental effects on microsatellite gene diversity in brook charr (*Salvelinus fontinalis*), 1043
Anzidei M see Vendramin GG
Arctander P see Nyakaana S
Argue BJ see Tan G
Arias J see Bouza C
Armesto JJ see Allnutt TR
Arnegard ME see Markert JA
Arnold ML see Burke JM
Asai S, Shimoda C, Nishiumi I, Eguchi K, Yamagishi S. Isolation of microsatellite loci for paternity testing in the rufous vanga *Schetba rufa*, 513
Auge H see Neuffer B
Ayre DJ see England PR
Ayres DR, Garcia-Rossi D, Davis HG, Strong DR. Extent and degree of hybridization between exotic (*Spartina alterniflora*) and native (*S. foliosa*) cordgrass (Poaceae) in California, USA determined by random amplified polymorphic DNA (RAPDs), 1179

Baguette M see Vandewoestijne S
Baker RJ see Nekrutenko A
Baker RJ, Makova KD, Chesser RK. Microsatellites indicate a high frequency of multiple paternity in *Apodemus* (Rodentia), 107
Bakker, ThCM see Largiadèr CR
Balcomb KC see Parsons KM
Baltisberger M see Widmer A
Bancroft DR see Coltman DW
Barber PH. Patterns of gene flow and population genetic structure in the canyon treefrog, *Hyla arenicolor* (Cope), 563
Barber PH. Phylogeography of the canyon treefrog, *Hyla arenicolor* (Cope) based on mitochondrial DNA sequence data, 547
Barratt EM see Rossiter SJ
Bartish I, Jeppsson N, Nybom H. Population genetic structure in the dioecious plant species *Hippophae rhamnoides* investigated by random amplified polymorphic DNA (RAPD) markers, 791
Bartsch D, Lehnen M, Clegg J, Pohl-Orf M, Schuphan I, Ellstrand NC. Impact of gene flow cultivated beet on genetic diversity of wild sea beet populations, 1733
Batargias C, Dermitzakis E, Magoulas A, Zouros E. Characterization of six polymorphic microsatellite markers in gilthead seabream, *Sparus aurata* (Linnaeus 1758), 897
Baumann S see Simon J-C
Baverstock P see Hinten G
Baverstock PR see Houlden BA
Baverstock PR see Rossetto M
Baverstock PR see Seddon JM
Bawa K see Dayanandan S
Beaulieu J see Isabel N
Bedford ID see Frohlich DR
Bell DJ see Surridge AK
Bello N, Sánchez A. The identification of a sex-specific DNA marker in the ostrich using a random amplified polymorphic DNA (RAPD) assay, 667
Bennett SJ, Hayward MD. Electrophoretic differentiation in isolated populations of *Lolium rigidum* Gaud., 123
Bennetts RQ, Grady JM, Rohde FC, Quattro JM. Dischordant patterns of morphological and molecular change in broadtail madtoms (genus *Noturus*), 1563
Berg S see Hansen MM
Bermingham E see Lovette IJ
Bernatchez L, Wilson CC. Diadromy and genetic diversity in Nearctic and Palearctic fishes: a reply, 529
Bernatchez L see Angers B
Bernatchez L see Douglas MR
Bernatchez L see Dufresne F
Bernatchez L see Roques S
Bernatchez L see Roques S
Bernatchez L see Tessier N
Bernatchez L see Wirth T
Bernier L see Gosselin L
Bertorelle G, Bucchini L, Pilastro A, Matessi C. DNA fingerprinting data and the analysis of population genetic structure by comparing band-sharing patterns, 1851
Besansky NJ see Mukabayire O
Bigot Y see Rabouam C

© 1999 Blackwell Science Ltd

Bijlsma R see Van Treuren R
Bilodeau AL, Lankford WS, Kim TJ, Felder DL, Neigel JE. An ultrasensitive method for detection of single crab larvae (*Sesarma reticulatum*) by PCR amplification of a highly repetitive DNA sequence, 683
Birt TP see Friesen VL
Bishop JDD see Sommerfeldt AD
Blatrix RS see Giraud T
Bobowski BR, Hole D, Wolf PG, Bryant L. Identification of roots of woody species using polymerase chain reaction (PCR) and restriction fragment length polymorphism (RFLP) analysis, 485
Boccolini D see Mukabayire O
Bödvarsdóttir SK see Anamthawat-Jónsson K
Boller T see Groppe K
Bonfante P see Lanfranco L
Bonhomme F see Pouyaud L
Boomsma JJ see Holm L-E
Boomsma JJ see Pedersen JS
Boomsma JJ see Villesen P
Booth A see Provan J
Booth A see Russell JR
Bordeu A see Maunder M
Borer SO, Miller LM, Kapuscinski AR. Microsatellites in walleye *Stizostedion vitreum*, 336
Born EW see Paetkau D
Boshier DH see White GM
Boudjemadi K, Martin O, Simon J-C, Estoup A. Development and cross-species comparison of microsatellite markers in two lizard species, *Lacerta vivipara* and *Podarcis muralis*, 518
Bouet A see Lanaud C
Boulding EG see Wilson AB
Bousquet J see Isabel N
Bouvet Y see Durand JJ
Bouza C, Arias J, Castro J, Sánchez L, Martínez P. Genetic structure of brown trout, *Salmo trutta* L., at the southern limit of the distribution range of the anadromous form, 1991
Bowen BW see Clark AM
Boyce WM, Ramey II RR, Rodwell TC, Rubin ES, Singer RS. Population subdivision among desert bighorn sheep (*Ovis canadensis*) ewes revealed by mitochondrial DNA analysis, 99
Boyle PR see Shaw PW
Brachet S see Lefort F
Brachet S, Jubier MF, Richard M, Jung-Muller B, Frascaria-Lacoste N. Rapid identification of microsatellite loci using 5′ anchored PCR in the common ash *Fraxinus excelsior*, 160
Bradley DG see Loftus RT
Bragason BTh see Anamthawat-Jónsson K
Branch LC see Clark AM
Brandl R see Neuffer B
Braun CE see Oyler-Mccance SJ
Bretagnolle V see Rabouam C
Briese DT see O'Hanlon PC
Broders HG, Mahoney SP, Montevecchi WA, Davidson WS. Population genetic structure of founder events on the genetic variability of moose, *Alces alces*, in Canada, 1309
Brown Gladden J, Ferguson MM, Friesen MK, Clayton JW. Population structure of North American beluga whales (*Delphinapterus leucas*) based on nuclear DNA microsatellite variation and contrasted with the population structure revealed by mitochondrial DNA variation, 347
Brown JK see Frohlich DR
Brown MW see Waldick RC
Brown SM, Houlden BA Isolation and characterization of microsatellite markers in the black rhinoceros (*Diceros bicornis*), 1559
Bruford MW see Clifford SL
Brünner H see Lugon-Moulin N
Brunner PC see Douglas MR
Bruns TD see Taylor DL
Bruns TD see Taylor DL
Bryant L see Bobowski BR
Bucchini L see Bertorelle G
Burban C, Petit RJ, Carcreff E, Jactel H. Rangewide variation of the maritime pine bast scale *Matsucoccus feytaudi* Duc. (Homoptera: Matsucoccidae) in relation to the genetic structure of its host, 1593
Burg TM. Isolation and characterization of microsatellites in albatrosses, 338
Burger G see Zuccarello GC
Burghardt GM see Mccracken GF
Burke JM, Arnold ML. Isolation and charaterization of microsattelites in iris, 1091
Burke T see Richardson DS
Burland TM see Rossiter SJ
Burnham KP see Oyler-Mccance SJ
Burns EL, Houlden BA. Isolation and characterisation of microsatellite markers in the broad-headed snake *Hoplocephalus bungaroides*, 520
Busch C see Zenuto RR
Bush SP, Mulcahy DL. The effects of regeneration by fragmentation upon clonal diversity in the tropical forest shrub *Poikilacanthus macranthus*: random amplified polymorphic DNA (RAPD) results, 865
Bushakra JM, Hodges SA, Cooper JB, Kaska DD. The extent of clonality and genetic diversity in the Santa Cruz Island Ironwood, *Lyonothamnus floribundus*, 471
Bussell JD. The distribution of random amplified polymorphic DNA (RAPD) diversity amongst populations of *Isotoma petraea* (Lobeliaceae), 775
Byrne M, Macdonald B, Coates D. Divergence in the chloroplast genome and nuclear rDNA of the rare Western Australian plant *Lambertia orbifolia* Gardner (Proteaceae), 1789

Caetano-Anollés G. High genome-wide mutation rates in vegatatively propagated bermudagrass, 1211
Calero C see Ibáñez O
Calero C, Ibáñez O, Mayol M, Roselló JA. Random amplified polymorphic DNA (RAPD) markers detect a single phenotype in *Lysimachia minoricensis* J.J. Rodr. (*Primulaceae*), a wild extinct plant, 2133
Calvert W see Paetkau D
Carcreff E see Burban C
Carew ME see Crozier RH
Carino DA, Daehler CC. Genetic variation in an apomictic grass, *Heteropogon contortus* in the Hawaiian Islands, 2127
Carrick F see Houlden BA
Carvalho GR see Adcock GJ
Carvalho GR see D'Amato ME
Carvalho GR see Hutchinson WF
Carvalho GR see Lunt DH
Castro J see Bouza C
Castroviejo J see Vilà C
Catzeflis FM see Huchon D
Catzeflis FM see Lavergne A
Chadee DD see Yan G

Chavigny P see Fuller SJ
Chavigny P see Vanlerberghe-Masutti F
Chen W, Gray LE, Kurle JE, Grau CR. Specific detection of *Phialophora gregata* and *Plectosporium tabacinum* in infected soybean plants using polymerase chain reaction, 871
Chenuil A see Pouyaud L
Chesser RK see Baker RJ
Chesser RK see Nekrutenko A
Chiang TY, Schaal BA. Phylogeography of North American populations of the moss species *Hylocomium splendens* based on the nucleotide sequence of internal transcribed spacer 2 of nuclear ribosomal DNA, 1037
Chlan CA see Spencer CC
Chou L-S see Wang JY
Clabaugh JP see Lacey EA
Clapp JP, Fitter AH, Young JPW. Ribosomal small subunit sequence variation within spores of an arbuscular mycorrhizal fungus, *Scutellospora* sp., 915
Claridge DE see Parsons KM
Clark AM, Bowen BW, Branch LC. Effects of natural habitat fragmentation on an endemic scrub lizard (*Sceloporus woodi*): an historical perspective based on a mitochondrial DNA gene genealogy, 1093
Clayton JW see Brown Gladden J
Clegg J see Bartsch D
Clegg SM see Degnan SM
Clifford SL, Jeffrey KJ, Bruford MW, Wickings EJ. Identification of polymorphic microsatellite loci in the gorilla (*Gorilla gorilla gorilla*) using human primers: application to noninvasively collected hair samples, 1556
Clutton-Brock TH see Coltman DW
Coates D see Byrne M
Cockrem J see Taylor EL
Colson I, Macdonald SJ, Goldstein DB. Microsatellite markers for interspecific mapping of *Drosophila simulans* and *D. sechellia*, 1951
Coltman DW, Bancroft DR, Robertson A, Smith JA, Clutton-Brock TH, Pemberton JM. Male reproductive success in a promiscuous mammal: behavioural estimates compared with genetic paternity, 1199
Comes AM see Rabouam C
Congdon BC see Friesen VL
Cook JA see Fleming MA
Cooper JB see Bushakra JM
Costello BH see Houlden BA
Crandall KA see Vilà C
Crawford DJ see Esselman EJ
Crease TJ see Weider LJ
Crozier RH see Oke CS
Crozier RH, Kaufmann B, Carew ME, Crozier YC. Mutability of microsatellites developed for the ant *Camponotus consobrinus*, 271
Crozier YC see Crozier RH
Crozier YC see Oke CS
Culham A see Maunder M
Curach N, Sunnucks P. Molecular anatomy of an onychophoran: compartmentalized sperm storage and heterogeneous paternity, 1375

D'Amato ME, Lunt DH, Carvalho GR. Microsatellite markers for the hake *Macruronus magellanicus* amplify other gadoid fish, 1086
Daehler CC see Carino DA
Dahlberg A see Jonsson L
Dallas JF see Parsons KM
Dallimer M. Cross-species amplification success of avian microsatellites in the redbilled quelea *Quelea quelea*, 695
Danley PD see Markert JA
Davidson WS see Broders HG
Davis HG see Ayres DR
Davis SK see Kichler K
Davison A. Isolation and characterization of long compound microsatellite repeat loci in the land snail, *Cepaea nemoralis* L. (Mollusca, Gastropoda, Pulmonata), 1760
Dawson IK, Powell W. Genetic variation in the Afromontane tree *Prunus africana*, an endangered medicinal species, 151
Dawson IK see Russell JR
Dayanandan S, Dole J, Bawa K, Kesseli R. Population structure delineated with microsatellite markers in fragmented populations of a tropical tree, *Carapa guianensis* (Meliaceae), 1585
De Greef B, Triest L. The use of random amplified polymorphic DNA (RAPD) for hybrid detection in *Scirpus* from the river Schelde (Belgium), 379
De Vicente M see Agustí N
Dedryver C-A see Simon J-C
Défago G see Guntli D
Degen B see Vendramin GG
Degnan SM, Robertson BC, Clegg SM, Moritz CC. Microsatellite primers for studies of gene flow and mating systems in white-eyes (*Zosterops*), 159
Delaruelle C see Gherbi H
Delay B see Samadi S
Delpero M see Lanfranco L
Delsuc F see Huchon D
Denardo DF see Rodríguez-Robles JA
Dermitzakis E see Batargias C
Derocher AE see Paetkau D
Desmarais E see Pouyaud L
Destombe C see Luo H
Destombe C see Martinez EA
Deunff J see Heulin B
Dick CW, Hamilton MB. Microsatellites from the Amazonian tree *Dinizia excelsa* (Fabaceae), 1765
Dobler S, Farrell BD. Host use evolution in *Chrysochus* milkweed beetles: evidence from behaviour, population genetics and phylogeny, 1297
Dodson JJ see Fontaine PM
Dole J see Dayanandan S
Douady C see Lavergne A
Douglas GC see Lefort F
Douglas MR, Brunner PC, Bernatchez L. Do assemblages of *Coregonus* (Teleostei: Salmoniformes) in the Central Alpine region of Europe represent species flocks?, 589
Doums C. Characterization of microsatellite loci in the queenless Ponerine ant *Diacamma cyaneiventre*, 1957
Douzery EJP see Huchon D
Dovč P see Sušnik S
Duchesne P see Roques S
Ducousso A see Streiff R
Dufresne F, Parent M, Bernatchez L. Isolation and characterization of microsatellite workers in the acorn barnacle *Semibalanus balanoides*, 1558
Dumolin-Lapègue S, Pemonge M-H, Gielly L, Taberlet P, Petit RJ. Amplification of oak DNA from ancient and modern wood, 2137

Dunham RA see Tan G
Durand JJ, Persat H, Bouvet Y. Phylogeography and postglacial dispersion of the Chub (*Leuciscus cephalus*) in Europe, 989
Durban JW see Parsons KM

Edwards KJ see Lefort F
Eguchi K see Asai S
Eguiarte LE see Silva C
Eichenberger K see Gugerli F
El-Barody MAA see Loftus RT
Ellegren H see Saino N
Ellegren H see Vilà C
Ellis W see Houlden BA
Ellstrand NC see Bartsch D
Elphinstone MS see Firestone KB
Elphinstone MS see Houlden BA
Engel CR see Luo H
Engelbrecht CC, Largiadèr CR, Hänfling B, Tautz D. Isolation and characterization of polymorphic microsatellite loci in the European bullhead *Cottus gobio* L., and their applicability to related taxa, 1966
England PR, Ayre DJ, Whelan RJ. Microsatellites in the Australian shrub *Grevillea macleayana* (Proteaceae), 689
Ennos RA see Sinclair WT
Epplen C see Luo H
Epplen JT see Luo H
Ertugrul O see Loftus RT
Esa YB see Waters JM
Esselman EJ, Jianqiang L, Crawford DJ, Windus JL, Wolfe AD. Clonal diversity in the rare *Calamagrostis porteri* spp. *insperata* (Poaceae): comparative results for allozymes and random amplified polymorphic DNA (RAPD) and intersimple sequence repeat (ISSR) markers, 443
Estoup A see Boudjemadi K
Estoup A see Krieg F
Eybert M-C see Questiau S

Falque M see Lanaud C
Farrell BD see Dobler S
Fei Y see Adams RP
Felder DL see Bilodeau AL
Ferguson MM see Brown Gladden J
Finch RP see Meikle A
Firestone KB. Isolation and characterization of microsatellites from carnivorous marsupials (Dasyuridae: Marsupialia), 1084
Firestone KB, Elphinstone MS, Sherwin WB, Houlden BA. Phylogeographical population structure of tiger quolls *Dasyurus maculatus* (Dasyuridae: Marsupialia), an endangered carnivorous marsupial, 1613
Fischer D see Neu C
Fisher MC, White TJ, Taylor JW. Primers for genotyping single nucleotide polymorphisms and microsatellites in the pathogenic fungus *Coccidioides immitis*, 1082
Fitter AH see Clapp JP
Fitter AH see Helgason T
Flagstad Ø, Røed K, Stacy JE, Jakobsen KS. Reliable noninvasive genotyping based on excremental PCR of nuclear DNA purified with a magnetic bead protocol, 879
Fleischer RC see Tarr CL
Fleming MA, Ostrander EA, Cook JA. Microsatellite markers for American mink (*Mustela vison*) and ermine (*Mustela erminea*), 1352
Folkard G see Muluvi GM
Fontaine PM, Dodson JJ. An analysis of the distribution of juvenile Atlantic salmon (*Salmo salar*) in nature as a function of relatedness using microsatellites, 189
Fontenille D see Mukabayire O
Forchhammer MC see Holm L-E
Ford MJ, Thornton PJ, Park LK. Natural selection promotes divergence of transferrin among salmonid species, 1055
Fossheim T see Nesbø CL
Fowler EV see Houlden BA
Franson SE see Leonard AC
Frascaria-Lacoste N see Brachet S
Frascaria-Lacoste N see Lefort F
Freeland JR, Jones CS, Noble LR, Okamura B. Polymorphic microsatellite loci identified in the highly clonal freshwater bryozoan *Cristatella mucedo*, 341
Friend JA see Fumagalli L
Fries V see Largiadèr CR
Friesen MK see Brown Gladden J
Friesen VL, Congdon BC, Kidd MG, Birt TP. PCR primers for the amplification of five nuclear introns in vertebrates, 2145
Fritz U see Lenk P
Frohlich DR, Torres-Jerez I, Bedford ID, Markham PG, Brown JK. A phylogeographical analysis of the *Bemisia tabaci* species complex based on mitochondrial DNA markers, 1683
Frydenberg J see Villesen P
Fuerst PA see Wu L
Fuertes Aguilar J, Rosselló JA, Nieto Feliner G. Nuclear ribosomal DNA (nrDNA) concerted evolution in natural and artificial hybrids of *Armeria* (Plumbaginaceae), 1341
Fukatsu T. Acetone preservation: a practical technique for molecular analysis, 1935
Fuller SJ see Vanlerberghe-Masutti F
Fuller SJ, Chavigny P, Lapchin L, Vanlerberghe-Masutti F. Variation in clonal diversity in glasshouse infestations of the aphid, *Aphis gossypii* Glover in southern France, 1867
Fumagalli L, Moritz C, Taberlet P, Friend JA. Mitochondrial DNA sequence variation within the remnant populations of the endangered numbat (Marsupialia: Myrmecobiidae: *Myrmecobius fasciatus*), 1545
Funk WC, Tallmon DA, Allendorf F. Small effective population size in the long-toed salamander, 1633

Gabarra C see Agustí N
Gaci B see Von Segesser F
Gaggiotti OE, Lange O, Rassmann K, Gliddon C. A comparison of two indirect methods for estimating average levels of gene flow using microsatellite data, 1513
García-Martínez J, Moya A, Raga JA, Latorre A. Genetic differentiation in the striped dolphin *Stenella coeruleoalba* from European waters according to mitochondrial DNA (mtDNA) restriction analysis, 1069
Garcia-Rossi D see Ayres DR
Gardner M see Allnutt TR
Garner GW see Paetkau D
Gauthier D see Navarro E
Ge XJ, Sun M. Reproductive biology and genetic diversity of a cryptoviviparous mangrove *Aegiceras corniculatun* (Myrsinaceae) using allozyme and intersimple sequence repeat (ISSR) analysis, 2061
George SG see Watts PC
Gertsch PJ see Villesen P

Gherbi H, Delaruelle C, Selosse M-A, Martin F. High genetic diversity in a population of the ectomycorrhizal basidiomycete *Laccaria amethystina* in a 150-year-old beech forest, 2003
Gibbs HL see Prosser MR
Gibbs HL, Tabak LM, Hobson K. Characterization of microsatellite DNA loci for a neotropical migrant songbird, the Swainson's thrush (*Catharus ustulatus*), 1551
Gibson DJ see Gustafson DJ
Gielly L see Dumolin-Lapègue S
Giraud T, Blatrix RS, Solignac M, Jaisson P. Polymorphic microsatellite DNA markers in the ant *Gnamptogenys striatula*, 2141
Glare TR see Richards NK
Gleeson DM, Howitt RLJ, Ling N. Genetic variation, population structure and cryptic species within the black mudfish, *Neochanna diversus*, an endemic galaxiid from New Zealand, 47
Glenn TC see Winker K
Gliddon C see Gaggiotti OE
Gloessl J see Streiff R
Godt MJW, Hamrick JL. Population genetic analysis of *Elliottia racemosa* (Ericaceae), a rare Georgia shrub, 75
Gold JR see Turner TF
Goldstein DB see Colson I
Goldstein DB see Reich DE
Gómez-Pompa A see Heaton HJ
González-Candelas F see Palacios C
Goodnight KF, Queller DC. Computer software for performing likelihood tests of pedigree relationship using genetic markers, 1231
Gosselin L, Jobidon R, Bernier L. Genetic variability and structure of Canadian populations of *Chondrostereum purpureum*, a potential biophytocide, 113
Goudet J see Lugon-Moulin N
Gourbiere F see Navarro E
Grady JM see Bennetts RQ
Grau CR see Chen W
Graves GR see Winker K
Graves JA see Hockham LR
Gray LE see Chen W
Greenwood AD, Pääbo S. Nuclear insertion sequences of mitochondrial DNA predominate in hair but not in blood of elephants, 133
Griffiths R, Orr K. The use of amplified fragment length polymorphism (AFLP) in the isolation of sex-specific markers, 671
Groppe K, Steinger T, Sanders I, Schmid B, Wiemken A, Boller T. Interaction between the endophytic fungus *Epichloë bromicola* and the grass *Bromus erectus*: effects of endophyte infection, fungal concentration and environment on grass growth and flowering, 1827
Gross R see Schilder K
Groth D see Taylor EL
Gugerli F, Eichenberger K, Schneller JJ. Promiscuity in populations of the cushion plant *Saxifraga oppositifolia* in the Swiss Alps as inferred from random amplified polymorphic DNA (RAPD), 453
Guillaume CP see Heulin B
Guiller A see Heulin B
Gunter LE see Stevens MT
Guntli D, Heeb M, Moënne-Loccoz Y, Défago G. Contribution of calystegine catabolic plasmid to competitive colonization of the rhizosphere of calystegine-producing plants by *Sinorhizobium meliloti* Rm41, 855
Gustafson DJ, Gibson DJ, Nickrent DL. Random amplified polymorphic DNA variation among remnant big bluestem (*Andropogon gerardii* Vitman) populations from Arkansas' Grand Prairie, 1693
Guyomard R see Krieg F

Haberl M, Tautz D. Comparitive allele sizing can produce inaccurate allele size differences for microsatellites, 1347
Haberl M, Tautz D. Tri- and tetranucleotide microsatellite loci in honey bees (*Apis mellifera*)—a step towards quantitative genotyping, 1358
Hales DF see Wilson ACC
Hamilton MB. Four primer pairs for the amplification of chloroplast intergenic regions with intraspecific variation, 521
Hamilton MB see Dick CW
Hamrick JL see Godt MJW
Hänfling B see Engelbrecht CC
Hansen MM, Mensberg K-LD, Berg S. Postglacial recolonization patterns and genetic relationships among whitefish (*Coregonus* sp.) populations in Denmark, inferred from mitochondrial DNA and microsatellite markers, 239
Harba AH see Loftus RT
Hare MP, Palumbi SR. The accuracy of heterozygous base calling from diploid sequence and resolution of haplotypes using allele-specific sequencing, 1750
Hausser J see Lugon-Moulin N
Hawkes NJ see Zaidi RH
Haymer DS see He M
Hayward MD see Bennett SJ
He M, Haymer DS. Genetic relationships of populations and the origins of new infestations of the Mediterranean fruit fly, 1247
Heaton HJ, Whitkus R, Gómez-Pompa A. Extreme ecological and phenotypic differences in the tropical tree chicozapote (*Manilkara zapota* (L.) P. Royen) are not matched by genetic divergence: a random amplified polymorphic DNA (RAPD) analysis, 627
Hebert PDN see Simon J-C
Heeb M see Guntli D
Heg D see Van Treuren R
Heiniger U see Allemann C
Heinze J see Schilder K
Helgason T, Fitter AH, Young JPW. Molecular diversity of arbuscular mycorrhizal fungi colonising *Hyacinthoides non-scripta* (bluebell) in a seminatural woodland, 659
Hemingway J see Zaidi RH
Henry RJ see Rossetto M
Herbert PDN see Weider LJ
Herman TB see Mockford SW
Hertzberg VS see Leonard AC
Heulin B, Surget-Groba Y, Guiller A, Guillaume CP, Deunff J. Comparisons of mitochondrial DNA (mtDNA) sequences (16S rRNA gene) between oviparous and viviparous strains of *Lacerta vivipara*: a preliminary study, 1627
Hewitt GM see Knight ME
Hewitt GM see Lundy CJ
Hewitt GM see Morán P
Hewitt GM see Stauffer C
Hewitt GM see Surridge AK
Hinten G, Maguire T, Rossetto M, Baverstock P. Isolation and characterization of microsatellite loci from the bush rat, *Rattus fuscipes greyii*, 1351

Hobæk A see Weider LJ
Hobson K see Gibbs HL
Hockham LR, Graves JA, Ritchie MG. Isolation and characterization of microsatellite loci in the bushcricket *Ephippiger ephippiger* (Orthoptera: Tettigoniidae), 905
Hodges SA see Bushakra JM
Hoegger P see Allemann C
Högberg N, Stenlid J. Population genetics of *Fomitopsis rosea*—a wood-decay fungus of the old-growth European taiga, 703
Holder MT see Kichler K
Hole D see Bobowski BR
Hölldobler B see Schilder K
Holm L-E, Forchhammer MC, Boomsma JJ. Low genetic variation in muskoxen (*Ovibos moschatus*) from western Greenland using microsatellites, 675
Horie S see Maki M
Houlden BA see Brown SM
Houlden BA see Burns EL
Houlden BA see Firestone KB
Houlden BA, Costello BH, Sharkey D, Fowler EV, Melzer A, Ellis W, Carrick F, Baverstock PR, Elphinstone MS. Phylogeographic differentiation in the mitochondrial control region in the koala, *Phascolarctos cinereus* (Goldfuss 1817), 999
Houts SE see Mccracken GF
Howitt RLJ see Gleeson DM
Hsiao JY, Lee SM. Genetic diversity and microgeographic differentiation of Yushan cane (*Yushania niitakayamensis*; Poaceae) in Taiwan, 263
Huchon D, Delsuc F, Catzeflis FM, Douzery EJP. Armadillos exhibit less genetic polymorphism in North America than in South America: nuclear and mitochodrial data confirm a founder effect in *Dasypus novemcinctus* (Xenarthra), 1743
Hughes CR see Sachs JL
Humbert J-F see Rabouam C
Hurka H see Neuffer B
Hurme P, Savolainen O. Comparison of homology and linkage of random amplified polymorphic DNA (RAPD) markers between individual trees of Scots pine (*Pinus sylvestris* L.), 15
Hutchinson WF see Lunt DH
Hutchinson WF, Carvalho GR, Rogers SI. A non-destructive technique for the recovery of DNA from dried fish otoliths for subsequent molecular genetic analysis, 893

Ibáñez O see Calero C
Ibáñez O, Calero C, Mayol M, Roselló JA. Isozyme uniformity in a wild extinct insular plant, *Lysimachia minoricensis* J.J. Rodr. (Primulaceae), 813
Ibrahim KM see Surridge AK
Iida H see Ishibashi Y
Iii PM see Parsons KM
Isabel N, Beaulieu J, Thériault P, Bousquet J. Direct evidence for biased gene diversity estimates from dominant random amplified polymorphic DNA (RAPD) fingerprints, 477
Isagi Y see Miyazaki Y
Isagi Y, Kanazashi T, Suzuki W, Tanaka H, Abe T. Polymorphic microsatellite DNA markers for *Magnolia obovata* Thunb. and their utility in related species, 698
Ishibashi Y, Yoshinaga Y, Saitoh T, Abe S, Iida H, Yoshida MC. Polymorphic microsatellite DNA markers in the field vole *Microtus montebelli*, 163
Ishiguro N see Watanobe T

Jaal Z see Zaidi RH
Jackson HD, Steane DA, Potts BM, Vaillancourt RE. Chloroplast DNA evidence for reticulate evolution in *Eucalyptus* (*Myrtaceae*), 739
Jackson TA see Richards NK
Jactel H see Burban C
Jaffre T see Navarro E
Jaisson P see Giraud T
Jakobsen KS see Flagstad Ø
Jakobsen KS see Nesbø CL
Jarne P see Samadi S
Jeffrey KJ see Clifford SL
Jekielek J, Strobeck C. Characterization of polymorphic brown lemur (*Eulemur fulvus*) microsatellite loci and their amplification in the family Lemuridae, 901
Jenczewski E, Prosperi JM, Ronfort J. Differentiation between natural and cultivated populations of *Medicago sativa* (Leguminosae) from Spain: analysis with random amplified polymorphic DNA (RAPD) markers and comparison to allozymes, 1317
Jeppsson N see Bartish I
Jianqiang L see Esselman EJ
Jobidon R see Gosselin L
Joger U see Lenk P
Jones CS see Freeland JR
Jones CS, Lockyer AE, Rollinson D, Piertney SB, Noble LR. Isolation and characterization of loci in the freshwater gastropod, *Biomphalaria glabrata*, an intermediate host for *Schistosoma mansoni*, 2147
Jones G see Rossiter SJ
Jonsson L, Dahlberg A, Nilsson M-C, Zackrisson O, Kårén O. Ectomycorrhizal fungal communities in late-successional Swedish boreal forests, and their composition following wildfire, 205
Jorde PE, Palm S, Ryman N. Estimating genetic drift and effective population size from temporal shifts in dominant gene marker frequencies, 1171
Jørgensen RB see Snow AA
Jubier MF see Brachet S
Jung-Muller B see Brachet S

Kaemmer D see Neu C
Kahl G see Neu C
Kahn NW see Oyler-Mccance SJ
Kanazashi T see Isagi Y
Kapuscinski AR see Borer SO
Kårén O see Jonsson L
Karesh WB see Valderrama X
Karlovsky P see Reineke A
Karsi A see Tan G
Kaska DD see Bushakra JM
Kaufman L see Wu L
Kaufmann B see Crozier RH
Keller L see Krieger MJB
Kemp SJ see Watts PC
Kesseli R see Dayanandan S
Keyghobadi N, Roland J, Strobeck C. Influence of landscape on the population genetic structure of the alpine butterfly *Parnassius smintheus* (Papilionidae), 1481
Kichler K, Holder MT, Davis SK, Márquez-MR, Owens DW. Detection of multiple paternity in the Kemp's ridley sea turtle with limited sampling, 819

Kidd MG see Friesen VL
Kim S see Tan G
Kim TJ see Bilodeau AL
King RJ see Zuccarello GC
Knight ME, Van Oppen MJH, Smith HL, Rico C, Hewitt GM, Turner GF. Evidence for male-biased dispersal in Lake Malawi cichlids from microsatellites, 1521
Kobler B see Largiadèr CR
Kocher TD see Markert JA
Koebner RMD see Anamthawat-Jónsson K
Komatsu M see Watanobe T
Kornfield I see Lage CR
Krauss SL. Complete exclusion of nonsires in an analysis of paternity in a natural plant population using amplified fragment length polymorphism (AFLP), 217
Krehling JT see Wooten MC
Kremer A see Streiff R
Kresovich S see Palacios C
Krieg F, Estoup A, Triantafyllidis A, Guyomard R. Isolation of microsatellite loci in European catfish, *Silurus glanis*, 1964
Krieger MJB, Keller L. Low polymorphism at nineteen microsatellite loci in a French population of Argentine ants (*Linepithema humile*), 1078
Kucuktas H see Tan G
Kuehn MM, Minor JE, White BN. An examination of hybridization between the cattail species *Typha latifolia* and *Typha angustifolia* using random amplified polymorphic DNA (RAPD) and chloroplast DNA markers, 1981
Kurle JE see Chen W

Lacey EA see Zenuto RR
Lacey EA, Maldonado JE, Clabaugh JP, Matocq MD. Interspecific variation in microsatellites isolated from tuco-tucos (Rodentia: Ctenomyidae), 1754
Lage CR, Kornfield I. Isolation and characterization of microsatellite loci in Atlantic haddock (*Melanogrammus aeglefinus*), 1355
Lagoda PJL see Lanaud C
Lakatos F see Stauffer C
Lambert DM see Robertson BC
Lanaud C, Risterucci AM, Pieretti I, Falque M, Bouet A, Lagoda PJL. Isolation and characterization of microsatellites in *Theobroma cacao* L., 2141
Lanfranco L, Delpero M, Bonfante P. Intrasporal variability of ribosomal sequences in the endomycorrhizal fungus *Gigaspora margarita*, 37
Lange O see Gaggiotti OE
Lankford WS see Bilodeau AL
Lapchin L see Fuller SJ
Lara A see Allnutt TR
Largiadèr CR see Engelbrecht CC
Largiadèr CR, Fries V, Kobler B, Bakker, ThCM. Isolation and characterization of microsatellite loci from the three-spined stickleback (*Gasterosteus aculeatus* L.), 342
Latorre A see García-Martínez J
Latorre A see Simon J-C
Lavergne A, Douady C, Catzeflis FM. Isolation and characterization of microsatellite loci in *Didelphis marsupialis* (Marsupialia: Didelphidae), 517
Le Gallic J-F see Simon J-C
Leberg PL see Spencer CC
Lee LS see Rossetto M
Lee S-C see Wang H-Y
Lee SM see Hsiao JY
Lefort F, Brachet S, Frascaria-Lacoste N, Edwards KJ, Douglas GC. Identification and characterization of microsatellite loci in ash (*Fraxinus excelsior* L.) and their conservation in the olive family (*Oleaceae*), 1088
Lehnen M see Bartsch D
Lenk P, Fritz U, Joger U, Wink M. Mitochondrial phylogeography of the European pond turtle, *Emys orbicularis* (Linnaeus 1758), 1911
Leonard AC, Franson SE, Hertzberg VS, Smith MK, Toth GP. Hypothesis testing with the similarity index, 2105
Leonard JA see Vilà C
Leterme N see Simon J-C
Lexer C see Streiff R
Li P see Tan G
Ling N see Gleeson DM
Liu ZJ see Tan G
Lochouarn L see Mukabayire O
Lockyer AE see Jones CS
Loeffler W see Morden CW
Loftus RT, Ertugrul O, Harba AH, El-Barody MAA, Machugh DE, Park SDE, Bradley DG. A microsatellite survey of cattle from a centre of origin: the Near East, 2015
Louie D see Taylor EB
Lovette IJ, Bermingham E, Rohwer S, Wood C. Mitochondrial restriction fragment length polymorphism (RFLP) and sequence variation among closely related avian species and the genetic characterization of hybrid *Dendroica* warblers, 1431
Lugon-Moulin N, Brünner H, Wyttenbach A, Hausser J, Goudet J. Hierarchical analyses of genetic differentiation in a hybrid zone of *Sorex araneus* (Insectivora: Soricidae), 419
Lumaret R see Sahuquillo E
Lundy C see Morán P
Lundy CJ, Moran P, Rico C, Milner RS, Hewitt GM. Macrogeographic population differentiation in oceanic environments: a case study of European hake (*Merluccius merluccius*), a commercially important fish, 1889
Lunt DH see D'Amato ME
Lunt DH, Hutchinson WF, Carvalho GR. An efficient method for PCR-based isolation of microsatellite arrays (PIMA), 891
Luo H, Mörchen M, Engel CR, Destombe C, Epplen JT, Epplen C, Saumitou-Laprade P, Valero M. Characterization of microsatellite markers in the red alga *Gracilaria gracilis*, 701
Lutzoni F see Zoller S

Macdonald B see Byrne M
Macdonald SJ see Colson I
Machugh DE see Loftus RT
Madaghiele A see Vendramin GG
Magnan P see Angers B
Magoulas A see Batargias C
Maguire T see Hinten G
Mahoney SP see Broders HG
Maki M, Horie S. Random amplified polymorphic DNA (RAPD) markers reveal less genetic variation in the endangered plant *Cerastium fischerianum* var. *molle* than in the widespread conspecific *C. fischerianum* var. *fischerianum* (Caryophyllaceae), 145
Makova KD see Baker RJ
Makova KD see Nekrutenko A

Maldonado JE see Lacey EA
Markert JA, Arnegard ME, Danley PD, Kocher TD. Biogeography and population genetics of the Lake Malawi cichlid *Melanochromis auratus*: habitat transience, philopatry and speciation, 1013
Markham PG see Frohlich DR
Márquez-MR see Kichler K
Marra RE, Milgroom MG. PCR amplification of the mating-type idiomorphs in *Cryphonectria parasitica*, 1947
Marshall G see Meikle A
Martin F see Gherbi H
Martin GB see Taylor EL
Martin O see Boudjemadi K
Martin RD see Von Segesser F
Martinez EA, Destombe C, Quillet MC, Valero M. Identification of random amplified polymorphic DNA (RAPD) markers highly linked to sex determination in the red alga *Gracilaria gracilis*, 1533
Martínez P see Bouza C
Martínez-Romero E see Wang ET
Martínez-Romero J see Wang ET
Matessi C see Bertorelle G
Matocq MD see Lacey EA
Matsui A see Watanobe T
Matthee CA, Robinson TJ. Mitochondrial DNA population structure of roan and sable antelope: implications for the translocation and conservation of the species, 227
Maunder M, Culham A, Bordeu A, Allainguillaume J, Wilkinson M. Genetic diversity and pedigree for *Sophora toromiro* (Leguminosae): a tree extinct in the wild, 725
Mavárez J see Samadi S
Mayol M see Calero C
Mayol M see Ibáñez O
Mccracken GF, Burghardt GM, Houts SE. Microsatellite markers and multiple paternity in the garter snake *Thamnophis sirtalis*, 1475
Mcdowall RM. Diadromy and genetic diversity in Nearctic and Palearctic fishes, 527
Mcgowan C, Reith ME. Polymorphic microsatellite markers for Atlantic halibut, *Hippoglossus hippoglossus*, 1761
Mcnicol JW see Muluvi GM
Mcrae SB, Amos W. Characterization of hypervariable microsatellites in the cooperatively-breeding white-browed sparrow weaver *Plocepasser mahali*, 903
Meikle A, Paterson S, Finch RP, Marshall G, Waterhouse A. Genetic characterization of heather (*Calluna vulgaris* (L.) Hull) subject to different management regimes across Great Britain, 2037
Melnick DJ see Valderrama X
Melzer A see Houlden BA
Menard N see Von Segesser F
Mensberg K-LD see Hansen MM
Mesch H see Neuffer B
Messier F see Paetkau D
Michaud R see Murray BW
Milgroom MG see Marra RE
Miller LM see Borer SO
Milner RS see Lundy CJ
Minor JE see Kuehn MM
Minot EO see Robertson BC
Mitchell TG see Xu J
Miyazaki Y, Isagi Y, Tabata H. Polymorphic microsatellite markers in the perennial herb *Heloniopsis orientalis* (Thunb.) C. Tanaka, 1360
Mockford SW, Snyder M, Herman TB. A preliminary examination of genetic variation in a peripheral population of Blanding's turtle, *Emydoidea blandingii*, 323
Moënne-Loccoz Y see Guntli D
Möllenbeck M. Genetic relationship of 32 cell lines of the *Euplotes octocarinatus* species complex revealed by random amplified polymorphic DNA (RAPD) fingerprinting, 1971
Møller AP see Saino N
Monsutti A, Perrin N. Dinucleotide microsatellite loci reveal a high selfing rate in the freshwater snail *Physa acuta*, 1076
Montevecchi WA see Broders HG
Moran P see Lundy CJ
Morán P, Lundy C, Rico C, Hewitt GM. Isolation and characterization of microsatellite loci in European hake, *Merlucius merlucius* (Merlucidae, Teleostei), 1357
Mörchen M see Luo H
Morden CW, Loeffler W. Fragmentation and genetic differentiation among subpopulations of the endangered Hawaiian mint *Haplostachys haplostachya* (Lamiaceae), 617
Morgan-Richards M, Wolff K. Genetic structure and differentiation of *Plantago major* reveals a pair of sympatric sister species, 1027
Moritz C see Fumagalli L
Moritz CC see Degnan SM
Morman JD see Sinclair WT
Mossman CA, Waser PM. Genetic detection of sex-biased dispersal, 1063
Mougel C see Tessier-Cuvelle S
Moya A see García-Martínez J
Mueller UG see Villesen P
Mukabayire O, Boccolini D, Lochouarn L, Fontenille D, Besansky NJ. Mitochondrial and ribosomal internal transcribed spacer (ITS2) diversity of the African malaria vector *Anopheles funestus*, 289
Mulcahy DL see Bush SP
Muluvi GM, Sprent JI, Soranzo N, Provan J, Odee D, Folkard G, McNicol JW, Powell W. Amplified fragment length polymorphism (AFLP) analysis of genetic variation in *Moringa oleifera* Lam., 463
Murray BW, Michaud R, White BN. Allelic and haplotype variation of major histocompatibility complex class II *DRB1* and *DQB* loci in the St Lawrence beluga (*Delphinapterus leucas*), 1127

Naish K-A see Wilson AB
Nakano M see Watanobe T
Nash RDM see Watts PC
Navarro E, Jaffre T, Gauthier D, Gourbiere F, Rinaudo G, Simonet P, Normand P. Distribution of *Gymnostoma* spp. microsymbiotic *Frankia* strains in New Caledonia is related to soil type and to host-plant species, 1781
Neigel JE see Bilodeau AL
Neigel JE see Spencer CC
Nekrutenko A, Makova KD, Chesser RK, Baker RJ. Representational difference analysis to distinguish cryptic species, 1235
Nesbø CL, Fossheim T, Vøllestad LA, Jakobsen KS. Genetic divergence and phylogeographic relationships among European perch (*Perca fluviatilis*) populations reflect glacial refugia and postglacial colonization, 1387
Nesme X see Tessier-Cuvelle S
Neu C, Kaemmer D, Kahl G, Fischer D, Weising K. Polymorphic microsatellite markers for the banana pathogen *Mycosphaerella fijiensis*, 523

Neuffer B, Hurka H. Colonization history and introduction dynamics of *Capsella bursa-pastoris* (Brassicaceae) in North America: isozymes and quantitative traits, 1667
Neuffer B, Auge H, Mesch H, Amarell U, Brandl R. Spread of violets in polluted pine forests: morphological and molecular evidence for the ecological importance of interspecific hybridization, 365
Nève G see Vandewoestijne S
Newton AC see Allnutt TR
Nickrent DL see Gustafson DJ
Nieto Feliner G see Fuertes Aguilar J
Nilsson M-C see Jonsson L
Ninham JA see Skotnicki ML
Nishiumi I see Asai S
Noble LR see Freeland JR
Noble LR see Jones CS
Noble LR see Parsons KM
Normand P see Navarro E
Nota Y, Takenaka O. DNA extraction from urine and sex identification of birds, 1237
Nyakaana S, Arctander P. Population genetic structure of the African elephant in Uganda based on variation at mitochondrial and nuclear loci: evidence for male-biased gene flow, 1105
Nybom H see Bartish I

O'Hanlon PC, Peakall R, Briese DT. Amplified fragment length polymorphism (AFLP) reveals introgression in weedy *Onopordum* thistels: hybridization and invasion, 1239
Odee D see Muluvi GM
Okamura B see Freeland JR
Oke CS, Crozier YC, Crozier RH, Ward RD. Microsatellites from a teleost, orange roughy (*Hoplostethus atlanticus*), and their potential for determining population structure, 2143
Okumura N see Watanobe T
Olsen JL see Reusch TBH
Ooi K, Yahara T. Genetic variation of geminiviruses: comparison between sexual and asexual host plant populations, 89
Orr K see Griffiths R
Ostrander EA see Fleming MA
Owens DW see Kichler K
Oyler-Mccance SJ, Kahn NW, Burnham KP, Braun CE, Quinn TW. A population genetic comparison of large- and small-bodied sage grouse in Colorado using microsatellite and mitochondrial DNA markers, 1457

Pääbo S see Greenwood AD
Paetkau D, Amstrup SC, Born EW, Calvert W, Derocher AE, Garner GW, Messier F, Stirling I, Taylor M, Wiig Ø, Strobeck C. Genetic structure of the world's polar bear populations, 1571
Palacios C, Kresovich S, González-Candelas F. A population genetic study of the endangered plant species *Limonium dufourii* (*Plumbaginaceae*) based on amplified fragment length polymorphism (AFLP), 645
Pallotta D see Roques S
Palm S see Jorde PE
Palumbi SR see Hare MP
Parent M see Dufresne F
Park LK see Ford MJ
Park SDE see Loftus RT
Parsons KM, Dallas JF, Claridge DE, Durban JW, Balcomb KC, Iii PM, Thompson LR, Noble LR. Amplifying dolphin mitochondrial DNA from faecal plumes, 1766
Paterson S see Meikle A
Paxton RJ, Weißschuh N, Quezada-Euán JJG. Characterization of dinucleotide microsatellite loci for stingless bees, 690
Peakall R see O'Hanlon PC
Pedersen JS, Boomsma JJ. Multiple paternity in social Hymenoptera: estimating the effective mate number in single–double mating populations, 577
Pemberton JM see Coltman DW
Pemonge M-H see Dumolin-Lapègue S
Perera L, Russell JR, Provan J, Powell W. Identification and characterization of microsatellite loci in coconut (*Cocis nucifera* L.) and the analysis of coconut populations in Sri Lanka, 344
Periquet G see Rabouam C
Perrin N see Monsutti A
Persat H see Durand JJ
Petit RJ see Burban C
Petit RJ see Dumolin-Lapègue S
Petit RJ see Vendramin GG
Petrucci-Fonseca F see Vilà C
Pierce GJ see Shaw PW
Pieretti I see Lanaud C
Pierpaoli M, Riga F, Trocchi V, Randi E. Species distinction and evolutionary relationships of the Italian hare (*Lepus corsicanus*) as described by mitochondrial DNA sequencing, 1805
Pierre J-S see Simon J-C
Piertney SB see Jones CS
Pilastro A see Bertorelle G
Plante M see Angers B
Pohl-Orf M see Bartsch D
Pointier J-P see Samadi S
Pollard S see Taylor EB
Pomeroy PP see Worthington Wilmer J
Posada D see Vilà C
Potts BM see Jackson HD
Pouyaud L, Desmarais E, Chenuil A, Agnese JF, Bonhomme F. Kin cohesiveness and possible inbreeding in the mouth-brooding tilapia *Sarotherodon melanotheron* (Pisces Cichlidae), 803
Powell W see Dawson IK
Powell W see Muluvi GM
Powell W see Perera L
Powell W see Provan J
Powell W see Russell JR
Powell W see White GM
Premoli A see Allnutt TR
Prosperi JM see Jenczewski E
Prosser MR, Gibbs HL, Weatherhead PJ. Microgeographic population genetic structure in the northern water snake, *Nerodia sipedon sipedon* detected using microsatellite DNA loci, 329
Provan J see Muluvi GM
Provan J see Perera L
Provan J, Russell JR, Booth A, Powell W. Polymorphic chloroplast simple sequence repeat primers for systematic and population studies in the genus *Hordeum*, 505

Quattro JM see Bennetts RQ
Queller DC see Goodnight KF
Questiau S, Eybert M-C, Taberlet P. Amplified fragment length polymorphism (AFLP) markers reveal extra-pair parentage in a bird species: the bluethroat (*Luscinia svecica*), 1331

Quezada-Euán JJG see Paxton RJ
Quillet MC see Martinez EA
Quinn TW see Oyler-Mccance SJ

Rabouam C, Comes AM, Bretagnolle V, Humbert J-F, Periquet G, Bigot Y. Features of DNA fragments obtained by random amplified polymorphic DNA (RAPD) assays, 493
Raga JA see García-Martínez J
Ramey Ii RR see Boyce WM
Randi E see Pierpaoli M
Rassmann K see Gaggiotti OE
Redenbach Z, Taylor EB. Zoogeographical implications of variation in mitochondrial DNA of Arctic grayling (*Thymallus arcticus*), 23
Reich DE, Wayne RK, Goldstein DB. Genetic evidence for a recent origin by hybridization of red wolves, 139
Reilly A, Ward RD. Microsatellite loci to determine population structure of the Patagonian toothfish, *Dissostichus eleginoides*, 1753
Reineke A, Karlovsky P, Zebitz CPW. Suppression of randomly primed polymerase chain reaction (PCR) products (random amplified polymorphic DNA) in heterozygous diploids, 1449
Reith ME see Mcgowan C
Reusch TBH, Stam WT, Olsen JL. Microsatellite loci in eelgrass *Zostera marina* reveal marked polymorphism within and among populations, 317
Richard M see Brachet S
Richards NK, Glare TR, Aloali'i II, Jackson TA. Primers for the detection of *Oryctes* virus from Scarabaeidae (Coleoptera), 1552
Richardson DS, Burke T. Extra-pair paternity in relation to male age in Bullock's orioles, 2115
Richardson LR see Turner TF
Rico C see Knight ME
Rico C see Lundy CJ
Rico C see Morán P
Rico C see Surridge AK
Riga F see Pierpaoli M
Rigling D see Allemann C
Rinaudo G see Navarro E
Risterucci AM see Lanaud C
Ritchie MG see Hockham LR
Robertson A see Coltman DW
Robertson BC see Degnan SM
Robertson BC, Minot EO, Lambert DM. Molecular sexing of individual kakapo, *Strigops habroptilus* Aves, from faeces, 1349
Robinson TJ see Matthee CA
Rodhouse PG see Adcock GJ
Rodríguez-Robles JA, Denardo DF, Staub RE. Phylogeography of the California mountain kingsnake, *Lampropeltis zonata* (Colubridae), 1923
Rodwell TC see Boyce WM
Røed K see Flagstad Ø
Rogers SI see Hutchinson WF
Rohde FC see Bennetts RQ
Rohwer S see Lovette IJ
Roland J see Keyghobadi N
Rollinson D see Jones CS
Romero-Severson J see Yan G
Romme WH see Stevens MT
Ronfort J see Jenczewski E
Roques S, Duchesne P, Bernatchez L. Potential of microsatellites for individual assignment: the North Atlantic redfish (genus *Sebastes*) species complex as a case study, 1703
Roques S, Pallotta D, Sévigny J-M, Bernatchez L. Isolation and characterization of polymorphic microsatellite markers in the North Atlantic redfish (Teleostei: Scorpaenidae, genus *Sebastes*), 685
Roselló JA see Calero C
Roselló JA see Ibáñez O
Ross TK. Phylogeography and conservation genetics of the Iowa Pleistocene snail, 1363
Rosselló JA see Fuertes Aguilar J
Rossetto M see Hinten G
Rossetto M, Slade RW, Baverstock PR, Henry RJ, Lee LS. Microsatellite variation and assessment of genetic structure in tea tree (*Melaleuca alternifolia*—Myrtaceae), 633
Rossiter SJ, Burland TM, Jones G, Barratt EM. Characterization of microsatellite loci in the greater horseshoe bat *Rhinolophus ferrumequinum*, 1959
Rubin ES see Boyce WM
Russell JR see Perera L
Russell JR see Provan J
Russell JR, Weber JC, Booth A, Powell W, Sotelo-Montes C, Dawson IK. Genetic variation of *Calycophyllum spruceanum* in the Peruvian Amazon Basin, revealed by amplified fragment length polymorphism (AFLP) analysis, 199
Ryman N see Jorde PE

Sachs JL, Hughes CR. Characterization of microsatellite loci for red-necked grebes, *Podiceps grisegena*, 687
Sahara M see Watanobe T
Sahuquillo E, Lumaret R. Chloroplast DNA variation in *Dactylis glomerata* L. taxa endemic to the Macaronesian islands, 1797
Saino N, Ellegren H, Møller AP. No evidence for adjustment of sex allocation in relation to paternal ornamentation and paternity in barn swallows, 399
Saint-Laurent R see Wirth T
Saitoh T see Ishibashi Y
Samadi S, Mavárez J, Pointier J-P, Delay B, Jarne P. Microsatellite and morphological analysis of population structure in the parthenogenetic freshwater snail *Melanoides tuberculata*: insights into the creation of clonal variability, 1141
Sánchez A see Bello N
Sánchez L see Bouza C
Sanders I see Groppe K
Saumitou-Laprade P see Luo H
Savolainen O see Hurme P
Schaal BA see Chiang TY
Scheidegger C see Zoller S
Schilder K, Heinze J, Gross R, Hölldobler B. Microsatellites reveal clonal stucture of populations of the thelytokous ant *Platythyrea punctata* (F. Smith) (Hymenoptera; Formicidae), 1497
Schmid B see Groppe K
Schmid-Hempel P see Widmer A
Schneller JJ see Gugerli F
Schoen DJ see Tremblay NO
Schuphan I see Bartsch D
Scribner KT see Spencer CC
Scribner KT see Wooten MC
Seddon JM, Baverstock PR. Variation on islands: major histocompatibility complex (*Mhc*) polymorphism in populations of the Australian bush rat, 2071

Segraves KA, Thompson JN, Soltis PS, Soltis DE. Multiple origins of polyploidy and the geographic structure of *Heuchera grossulariifolia*, 253
Selkirk PM see Skotnicki ML
Selosse M-A see Gherbi H
Severson DW see Yan G
Sévigny J-M see Roques S
Shapcott A. Comparison of the population genetics and densities of five *Pinanga* palm species at Kuala Belalong, Brunei, 1641
Sharkey D see Houlden BA
Shaw PW see Adcock GJ
Shaw PW, Pierce GJ, Boyle PR. Subtle population structuring within a highly vagile marine invertebrate, the veined squid *Loligo forbesi*, demonstrated with microsatellite DNA markers, 407
Sherwin WB see Firestone KB
Shimoda C see Asai S
Silva C, Eguiarte LE, Souza V. Reticulated and epidemic population genetic structure of *Rhizobium etli* biovar *phaseoli* in a traditionally managed locality in Mexico, 277
Simon J-C see Boudjemadi K
Simon J-C, Baumann S, Sunnucks P, Hebert PDN, Pierre J-S, Le Gallic J-F, Dedryver C-A. Reproductive mode and population genetic structure of the cereal aphid *Sitobion avenae* studied using phenotypic and microsatellite markers, 531
Simon J-C, Leterme N, Latorre A. Molecular markers linked to breeding system differences in segregating and natural populations of the cereal aphid *Rhopalosiphum padi* L., 965
Simonet P see Navarro E
Sinclair WT, Morman JD, Ennos RA. The postglacial history of Scots pine (*Pinus sylvestris* L.) in western Europe: evidence from mitochondrial DNA variation, 83
Singer RS see Boyce WM
Skotnicki ML, Ninham JA, Selkirk PM. Genetic diversity and dispersal of the moss *Sarconeurum glaciale* on Ross Island, East Antartica, 753
Slade RW see Rossetto M
Smith HL see Knight ME
Smith JA see Coltman DW
Smith MK see Leonard AC
Snoj A see Sušnik S
Snow AA, Andersen B, Jørgensen RB. Costs of transgenic herbicide resistance introgressed from *Brassica napus* into weedy *B. rapa*, 605
Snyder M see Mockford SW
Solignac M see Giraud T
Soltis DE see Segraves KA
Soltis PS see Segraves KA
Sommer S, Tichy H. Major histocompatibility complex (MHC) class II polymorphism and paternity in the monogamous *Hypogeomys antimena*, the endangered, largest endemic Malagasy rodent, 1259
Sommerfeldt AD, Bishop JDD. Random amplified polymorphic DNA (RAPD) analysis reveals extensive natural chimerism in a marine protochordate, 885
Soranzo N see Muluvi GM
Sotelo-Montes C see Russell JR
Souza V see Silva C
Spencer CC, Chlan CA, Neigel JE, Scribner KT, Wooten MC, Leberg PL. Polymorphic microsatellite markers in the western mosquitofish, *Gambusia affinis*, 157
Sprent JI see Muluvi GM
Stacy JE see Flagstad Ø
Stam WT see Reusch TBH
Staub RE see Rodríguez-Robles JA
Stauffer C, Lakatos F, Hewitt GM. Phylogeography and postglacial colonization routes of *Ips typographus* L. (Coleoptera, Scolytidae), 763
Steane DA see Jackson HD
Steinberg EK. Characterization of polymorphic microsatellites from current and historic populations of North American pocket gophers (Geomyidae: *Thomomys*), 1075
Steinger T see Groppe K
Steinkellner H see Streiff R
Stenlid J see Högberg N
Stepien CA. Phylogeographic structure of the Dover sole *Microstomus pacificus*: the larval retention hypothesis and genetic divergence along the deep continental slope of the northeastern Pacific Ocean, 923
Stevens MT, Turner MG, Tuskan GA, Romme WH, Gunter LE, Waller DM. Genetic variation in postfire aspen seedlings in Yellowstone National Park, 1769
Stirling I see Paetkau D
Streiff R, Ducousso A, Lexer C, Steinkellner H, Gloessl J, Kremer A. Pollen dispersal inferred from paternity analysis in a mixed oak stand of *Quercus robur* L. and *Quercus petraea* (Matt.) Liebl., 831
Strobeck C see Jekielek J
Strobeck C see Keyghobadi N
Strobeck C see Paetkau D
Strong DR see Ayres DR
Sušnik S, Snoj A, Dovč P. Microsatellites in grayling (*Thymallus thymallus*): comparison of two geographically remote populations from the Danubian and Adriatic river basin in Slovenia, 1756
Sun M. Cleistogamy in *Scutellaria indica* (Labiatae): effective mating system and population genetic structure, 1285
Sun M see Ge XJ
Sunnucks P, Wilson ACC. Microsatellite markers for the onychophoran *Euperipatoides rowelli*, 899
Sunnucks P see Curach N
Sunnucks P see Simon J-C
Sunnucks P see Wilson ACC
Surget-Groba Y see Heulin B
Surridge AK, Ibrahim KM, Bell DJ, Webb NH, Rico C, Hewitt GM. Fine-scale genetic structuring in a natural population of European wild rabbits (*Oryctolagus cuniculus*), 299
Suzuki W see Isagi Y
Symondson WOC see Zaidi RH

Tabak LM see Gibbs HL
Tabata H see Miyazaki Y
Taberlet P see Dumolin-Lapègue S
Taberlet P see Fumagalli L
Taberlet P see Questiau S
Takenaka O see Nota Y
Tallmon DA see Funk WC
Tan G, Karsi A, Li P, Kim S, Zheng X, Kucuktas H, Argue BJ, Dunham RA, Liu ZJ. Polymorphic microsatellite markers in *Ictalurus punctatus* and related catfish species, 1758
Tanaka H see Isagi Y
Tarr CL, Fleischer RC. Population boundaries and genetic diversity in the endangered Mariana crow (*Corvus kubaryi*), 941

Tautz D see Engelbrecht CC
Tautz D see Haberl M
Tautz D see Haberl M
Taylor DL, Bruns TD. Community structure of ectomycorrhizal fungi in a *Pinus muricata* forest: minimal overlap between the mature forest and resistant propagule communities, 1837
Taylor DL, Bruns TD. Population, habitat and genetic correlates of mycorrhizal specialization in the 'cheating' orchids *Corallorhiza maculata* and *C. mertensiana*, 1719
Taylor EB see Redenbach Z
Taylor EB, Pollard S, Louie D. Mitochondrial DNA variation in bull trout (*Salvelinus confluentus*) from northwestern North America: implications for zoogeography and conservation, 1155
Taylor EL, Vercoe P, Cockrem J, Groth D, Wetherall JD, Martin GB. Isolation and characterization of microsatellite loci in the emu, *Dromaius novaehollandiae*, and cross-species amplification within Ratitae, 1963
Taylor JW see Fisher MC
Taylor M see Paetkau D
Tessier N, Bernatchez L. Stability of population structure and genetic diversity across generations assessed by microsatellites among sympatric populations of landlocked Atlantic salmon (*Salmo salar* L.), 169
Tessier-Cuvelle S, Mougel C, Nesme X. Direct conjugal tranfers of Ti plasmid to soil microflora, 1273
Thériault P see Isabel N
Thompson JN see Segraves KA
Thompson LR see Parsons KM
Thornton PJ see Ford MJ
Tichy H see Sommer S
Tinbergen JM see Van Treuren R
Tomaru N see Ueno S
Torres-Jerez I see Frohlich DR
Toth GP see Leonard AC
Tremblay NO, Schoen DJ. Molecular phylogeography of *Dryas integrifolia*: glacial refugia and postglacial recolonization, 1187
Triantafyllidis A see Krieg F
Triest L see De Greef B
Trocchi V see Pierpaoli M
Tsai M-P see Wang H-Y
Turner GF see Knight ME
Turner MG see Stevens MT
Turner TF, Richardson LR, Gold JR. Temporal genetic variation of mitochondrial DNA and the female effective population size of red drum (*Sciaenops ocellatus*) in the northern Gulf of Mexico, 1223
Tuskan GA see Stevens MT
Twiss SD see Worthington Wilmer J

Ueno S, Yoshimaru H, Tomaru N, Yamamoto S. Development and characterization of microsatellite markers in *Camellia japonica* L., 335

Vaillancourt RE see Jackson HD
Valderrama X, Karesh WB, Wildman DE, Melnick DJ. Non-invasive methods for collecting fresh hair tissue, 1749
Valero M see Luo H
Valero M see Martinez EA
Van De Zande L see Van Treuren R
Van Oppen MJH see Knight ME
Van Treuren R, Bijlsma R, Tinbergen JM, Heg D, Van De Zande L. Genetic analysis of population structure of socially organized oystercatchers (*Haematopus ostralegus*) using microsatellites, 181
Vander Stappen J, Weltjens I, Volckaert G. Microsatellite markers in *Stylosanthes guianensis*, 514
Vandewoestijne S, Nève G, Baguette M. Spatial and temporal population structure of the butterfly *Aglais urticae* L. (Lepidoptera, Nymphalidae), 1539
Vanlerberghe-Masutti F see Fuller SJ
Vanlerberghe-Masutti F, Chavigny P, Fuller SJ. Characterization of microsatellite loci in the aphid species *Aphis gossypii* Glover, 693
Vendramin GG, Degen B, Petit RJ, Anzidei M, Madaghiele A, Ziegenhagen B. High level of variation at *Abies alba* chloroplast microsatellite loci in Europe, 1117
Vercoe P see Taylor EL
Vergara R see Allnutt TR
Vilà C, Amorim IR, Leonard JA, Posada D, Castroviejo J, Petrucci-Fonseca F, Crandall KA, Ellegren H, Wayne RK. Mitochondrial DNA phylogeography and population history of the grey wolf *Canis lupus*, 2089
Vilgalys R see Xu J
Villesen P, Gertsch PJ, Frydenberg J, Mueller UG, Boomsma JJ. Evolutionary transition from single to multiple mating in fungus-growing ants, 1819
Volckaert G see Vander Stappen J
Vøllestad LA see Nesbø CL
Von Segesser F, Menard N, Gaci B, Martin RD. Genetic differentiation within and between isolated Algerian subpopulations of Barbary macaques (*Macaca sylvanus*): evidence from microsatellites, 433

Waldick RC, Brown MW, White BN. Characterization and isolation of microsatellite loci from the endangered North Atlantic right whale, 1763
Waller DM see Stevens MT
Wallis GP see Waters JM
Walton M see Yan G
Wang ET, Martínez-Romero J, Martínez-Romero E. Genetic diversity of rhizobia from *Leucaena leucocephala* nodules in Mexican soils, 711
Wang H-Y, Tsai M-P, Yu M-J, Lee S-C. Influence of glaciation on divergence patterns of the endemic minnow, *Zacco pachycephalus*, in Taiwan, 1879
Wang JY, Chou L-S, White BN. Mitochondrial DNA analysis of sympatric morphotypes of bottlenose dolphins (genus: *Tursiops*) in Chinese waters, 1603
Ward RD see Oke CS
Ward RD see Reilly A
Waser PM see Mossman CA
Watanobe T, Okumura N, Ishiguro N, Nakano M, Matsui A, Sahara M, Komatsu M. Genetic relationship and distribution of the Japanese wild boar (*Sus scrofa leucomystax*) and Ryukyu wild boar (*Sus scrofa riukiuanus*) analysed by mitochodrial DNA, 1509
Waterhouse A see Meikle A
Waters JM, Esa YB, Wallis GP. Characterization of microsatellite loci from a New Zealand freshwater fish (*Galaxias vulgaris*) and their potential for analysis of hybridization in Galaxiidae, 1080

Watts PC, Nash RDM, George SG, Kemp SJ. Isolation and characterization of microsatellite loci in the European plaice, *Pleuronectes platessa* L. (Teleostei: Pleuronectidae), 2149
Wayne RK see Reich DE
Wayne RK see Vilà C
Weatherhead PJ see Prosser MR
Webb NH see Surridge AK
Weber JC see Russell JR
Weider LJ, Hobæk A, Herbert PDN, Crease TJ. Holarctic phylogeography of an asexual species complex—II. Allozymic variation and clonal structure in Arctic *Daphnia*, 1
Weising K see Neu C
Weißschuh N see Paxton RJ
Weltjens I see Vander Stappen J
West JA see Zuccarello GC
Wetherall JD see Taylor EL
Whelan RJ see England PR
White BN see Kuehn MM
White BN see Murray BW
White BN see Waldick RC
White BN see Wang JY
White GM, Boshier DH, Powell W. Genetic variation within a fragmented population of *Swietenia humilis* Zucc., 1899
White TJ see Fisher MC
Whitkus R see Heaton HJ
Wickings EJ see Clifford SL
Widmer A, Baltisberger M. Extensive intraspecific chloroplast DNA (cpDNA) variation in the alpine *Draba aizoides* L. (Brassicaceae): haplotype relationships and population structure, 1405
Widmer A, Schmid-Hempel P. The population genetic structure of a large temperate pollinator species, *Bombus pascuorum* (Scopoli) (Hymenoptera: Apidae), 387
Wiemken A see Groppe K
Wiig Ø see Paetkau D
Wildman DE see Valderrama X
Wilkinson M see Maunder M
Wilson AB, Boulding EG, Naish K-A. Characterization of tri- and tetranucleotide microsatellite loci in the invasive mollusc *Dreissena bugensis*, 692
Wilson ACC see Sunnucks P
Wilson ACC, Sunnucks P, Hales DF. Microevolution, low clonal diversity and genetic affinities of parthenogenetic *Sitobion* aphids in New Zealand, 1655
Wilson CC see Bernatchez L
Windus JL see Esselman EJ
Wink M see Lenk P
Winker K, Glenn TC, Graves GR. Dinucleotide microsatellite loci in a migratory wood warbler (Parulidae: *Limnothlypis swainsonii*) and amplification among other songbirds, 1553
Wirth T, Saint-Laurent R, Bernatchez L. Isolation and characterization of microsatellite loci in the walleye (*Stizostedion vitreum*), and cross-species amplification within the family Percidae, 1961
Wittzell H. Chloroplast DNA variation and reticulate evolution in sexual and apomictic sections of dandelions, 2023
Wolf PG see Bobowski BR
Wolfe AD see Esselman EJ
Wolff K see Morgan-Richards M
Wood C see Lovette IJ
Wooten MC see Spencer CC
Wooten MC, Scribner KT, Krehling JT. Isolation and characterization of microsatellite loci from endangered beach mice, *Peromyscus polionotus*, 167
Worthington Wilmer J, Allen PJ, Pomeroy PP, Twiss SD, Amos W. Where have all the fathers gone? An extensive microsatellite analysis of paternity in the grey seal (*Halichoerus grypus*), 1417
Wu L, Kaufman L, Fuerst PA. Isolation of microsatellite markers in *Astatoreochromis alluaudi* and their cross-species amplifications in other African cichlids, 895
Wyttenbach A see Lugon-Moulin N

Xu J, Mitchell TG, Vilgalys R. PCR–restriction fragment length polymorphism (RFLP) analyses reveal both extensive clonality and local genetic differences in *Candida albicans*, 59

Yahara T see Ooi K
Yamagishi S see Asai S
Yamamoto S see Ueno S
Yan G, Romero-Severson J, Walton M, Chadee DD, Severson DW. Population genetics of the yellow fever mosquito in Trinidad: comparisons of AFLP and RFLP markers, 951
Yoshida MC see Ishibashi Y
Yoshimaru H see Ueno S
Yoshinaga Y see Ishibashi Y
Young JPW see Clapp JP
Young JPW see Helgason T
Yu M-J see Wang H-Y

Zackrisson O see Jonsson L
Zaidi RH, Jaal Z, Hawkes NJ, Hemingway J, Symondson WOC. Can multiple-copy sequences of prey DNA be detected amongst the gut contents of invertebrate predators?, 2081
Zebitz CPW see Reineke A
Zenuto RR, Lacey EA, Busch C. DNA fingerprinting reveals polygyny in the subterranean rodent *Ctenomys talarum*, 1529
Zheng X see Tan G
Zhivotovsky LA. Estimating population structure in diploids with multilocus dominant DNA markers, 907
Zhong M see Adams RP
Ziegenhagen B see Vendramin GG
Zoller S, Lutzoni F, Scheidegger C. Genetic variation within and among populations of the threatened lichen *Lobaria pulmonaria* in Switzerland and implications for its conservation, 2049
Zouros E see Batargias C
Zuccarello GC, Burger G, West JA, King RJ. A mitochondrial marker for red algal intraspecific relationships, 1443

Molecular Ecology (1999) **8**, 2167–2172

Keyword index

16S rDNA fingerprinting, 711
18S, 915

acetone, 1935
Aedes aegypti, 951
Aegiceras, 2061
AFLP, 309, 645, 671, 951, 1171, 1239, 1331
African elephant, 1105
Afromontane, 151
Aglais urticae (small tortoiseshell), 1539
Agrobacterium, 1273
albatross, 338
Alces alces, 1309
alerce, 975
Aleyrodidae, 1683
alkaloid, 855
allele frequencies, 1171
allele sizing, 1347
allozyme electrophoresis, 277
allozyme(s), 1, 75, 443, 1285, 1317, 1539, 1743, 1760, 1879, 1991, 2061
Alpine plants, 453
Ambystoma, 1633
AMOVA, 263, 387, 453, 563, 791, 1247
amplified fragment length polymorphism, 199, 217, 463
amplified genes, 2081
anadromatous form, 1991
analysis of molecular variance, 1069
ancient DNA, 169, 725, 893
Andropogon, 1693
anomalous segregation, 1449
Anopheles funestus, 289
Antarctica, 753
ants, 2143
anura, 547
anura, 563
aphid(s), 693, 965, 1655, 1867
Aphis gossypii, 693, 1867
Apis mellifera, 1358
Apodemus, 107
apomict, 2127
apomixis, 2023
AP–PCR, 703
arbuscular mycorrhiza(s), 659, 915
Arctic plants, 1187
Arctic, 1
area effects, 1760
Armeria, 1341
Arvicolinae, 163, 1235
ASAP, 1211
ascidian, 885
asexuality, 965
assignment index, 1063
assignment, 1703
Astatoreochromis alluandi, 895
Atlantic haddock, 1355
Atlantic halibut, 1761
attine ants, 1819
automated genetyping, 340
Aves, 687, 1553
avian, 671, 695

backcrosses, 603
balancing selection, 2071
Balearic Islands, 813, 2133
band sharing, 2105
band-sharing coefficients, 1851
barley, 505
barnacles, 1558
Bayesion, 907
B-biotype, 1683
beach mouse, 167
behavioural genetics, 1475
beluga, 1127
Bemisia, 1683
bermudagrass, 1211
Beta vulgaris, 1733
bias, 907
bighorn sheep, 99
bioassay, 1837
biogeography, 1013, 1093, 1187
biological control, 113
Biomphalaria glabrata, 2149
bird sex, 1237
black rhinoceros, 1559
Black Sigatoga disease, 523
boreal forest, 205
Bostrychia, 1443
bottlenose dolphin, 1603
Bovidae, 227
Brassica campestris, 603
breeding, 2141
breeding system, 531, 775
broad-headed snake, 520
broadtail madtom, 1563
Bromus erectus, 1827
brown stem rot, 871
bryozoans, 340
BSA, 1533
bud banks, 485
bull trout, 1155
butterfly, 1481

California, 1923
Caloglossa, 1443
Calycophyllum spruceanum, 199
calystegine, 855
Camellia japonica, 335
Camponotus consobrinus, 271
candidiasis, 59
canids, 139
canonical correspondence analysis, 531, 1043
Capsella, 1667
Carabidae, 2081
CA-repeat, 163, 520, 1559
carnivorous marsupials, 1084, 1613
catfish, 1964
Catharus ustulatus, 1551
cattle, 2015
cattle primers, 675
census, 2089
Central Alps, 589
Cephalopoda, 165, 407
Cerastium, 145
Ceratitis capitata, 1247
cetaceans, 1766
CHD, 1349
CHD-gene, 1237
chestnut blight, 843
chicozapote, 627
chimera, 885
Chinese waters, 1603
Chiroptera, 1959
chloroplast, 505, 521
chloroplast DNA, 253, 739, 1187, 2137
chloroplast DNA RFLPs, 1797
Chondrostereum purpureum, 113
chromosomal evolution, 1655
chromosomal inversions, 289
Chrysochus, 1297
Chrysomelidae, 1297
cichlids, 803, 895, 1013, 1521
ciliated protozoa, 1971
cis–trans phase, 1750
cleistogamy, 1285
clinical genotyping, 1081
clonal, 75, 471
clonal diversity, 1867
clonal plants, 865, 1360
clone(s), 443, 531
clone-mapping, 885
cloning, 895
Coccidioides immitis, 1081
cocoa, 2141
coconut, 344
Cocos nucifera, 344
coloniality, 687
colonization, 1
colonization, 753, 1667, 1837
Colorado, 1457
commensal organism contamination, 493

© 1999 Blackwell Science Ltd

common shrew, 419
comparative mapping, 15
complex hybridity, 775
concerted evolution, 1341
congeneric species, 1641
conifers, 477, 1117
conjugation, 1273
conservation, 47, 75, 151, 199, 463, 471, 703, 1613, 1789, 2049
conservation biology, 433, 975
conservation genetics, 617, 645, 941, 1084, 1093, 1363, 1545, 1585
continental slope, 923
control region (D-loop), 1743
control region, 227, 999, 1105, 1509, 1545
cooperative breeding, 903
Coregonus, 589
Coregonus lavaretus, 239
Cory's shearwater, 493
Corythophora alta, 521
Cottidae, 1966
Cottus globio, 1966
coyote, 2089
cpDNA, 739, 1405, 1789
crop–weed complex, 1317
cross-amplification, 1957
cross-priming, 518
cross-species amplification, 901, 1497, 1961, 1963
Cryphonectria parasitica, 843, 1947
cryptic species, 47, 899, 1235
Ctenomys, 1529, 1754
cultivars, 1693
Cyprinidae, 989
cytochrome *b*, 1509, 1911

Dachtylis glomerata L., 1797
Daphnia, 1
Dasypus novemcinctus, 1743
Dasyurus, 1084
Dasyurus maculatus, 1613
deforestation, 1585
Delphinapterus leucas, 1127
demography, 2089
Dendroica, 1431
detection, 1552
detection periods, 2081
Diacamma, 1957
Didelphis, 517
differentiation, 831
Dinizia excelsa, 1765
Diomeda, 338
Diplosoma, 885
dispersal, 329, 831, 1063
disturbance ecology, 485
Dissostichus eleginoides, 1753
diversity, 659, 711, 775, 915, 1641, 1781, 2141
D-loop, 1387
DNA, 336, 1360, 1935
DNA–DNA hybridization, 695
DNA extraction, 879, 1349, 1766
DNA fingerprinting, 217, 1211, 2037, 2105
DNA genotyping, 901
DNA isolation, 2137
DNA markers, 897
DNA profiling, 2115
DNA sequence, 253, 1431
DNases, 681
domestication, 2015
dominant, 907
Dover sole, 923
DQB, 1127
DRB, 1127
dressenid, 692
Drosophila sechellia, 1951
Drosophila simulans, 1951
dsRNA, 843

ecotypes, 1667
ectomycorrhiza, 205, 1719, 2003
effective population size, 1171, 1633
effective size/adult census size, 1223
elapid, 520
electrophoresis, 123
elephants, 133
elevated atmospheric CO_2, 1827
Elliottia racemosa, 75
emu, 1963
Emydoidea blandingii, 323
Emys orbicularis, 1911
endangered ecosystems, 1093
endangered plant, 145
endangered species, 167, 645
endemic, 471
endemism, 1797
endophytes, 1827
endosymbionts, 1935
enrichment procedure, 317
environmental factors, 1043
environmental pollution, 365
Ephippiger ephippiger, 905
Epichloë bromicola, 1827
EPIC-PCR, 1247
estuaries, 1223
ESU, 941
extinction/colonization, 1539
Eubalaena australis, 1763
Eubalaena glacialis, 1763
Eucalyptus globulus, 739
Eupatorium, 89
Euperipatoides rowelli, 1375
European hake, 1889
European rabbit, 299
evolution of sex, 89, 531
evolution, 1027, 1055
evolutionarily significant units, 347, 999, 1613
evolutionary rates, 1431
ex situ conservation, 725, 813, 2133
ex situ conservation
exact test, 419
exclusion probability, 1331
ex-mitochondrial sequences, 133
exotic species, 692
experimental hybridization, 1341
extra-pair parentage, 1331
extra-pair paternity, 2115
exudate, 855

Fabaceae, 1765
faeces, 879, 1349, 1766
female choice, 2115
female control, 1375
female philopatry, 299
fingerprinting, 1529
fire, 1837
fire ecology, 205
fish, 1080
fisheries population structure, 2145
Fitzroya cupressoides, 975
Florida scrub, 1093
fluctuating population size, 1223
Fomitopsis rosea, 703
forest fragmentation, 1899
forest tree, 739
formicine ants, 271
fossil data, 1187
founder effect(s), 1309, 1743
founder event, 1879
fragmentation, 865
Frankia, 1781
Fraxinus excelsior, 160, 1088
freshwater snails, 2149
fungal ecology, 871
fungal ITS, 1719
fungal virus, 843
fungus-growing ants, 1819
fusion, 885

Gadhus mordua, 893
Gadidae, 1355
gadoids, 1086
galaxiid, 1080
Galaxiidae, 47
Galaxius vulgaris, 1080
Gambusia affinis, 157
Gasterosteus aculeatus, 342
geminivirus, 89
gene flow
gene flow, 145, 181, 387, 563, 603, 703, 763, 831, 1069, 1457, 1513, 1585, 1733, 1991
genetic conservation, 514
genetic differentiation, 181, 239, 387, 419, 1069, 1105, 1297, 1513
genetic distance, 433, 1851
genetic divergence, 923
genetic diversity, 1027
genetic diversity, 75, 89, 123, 145, 379, 477, 531, 753, 843, 865, 901, 951, 1363, 1693, 1733, 1789, 1971, 2015
genetic drift, 1171
genetic markers, 342, 477, 577, 1235, 2147

genetic polymorphisms, 59
genetic relationships, 1443
genetic structure, 99, 277, 633, 1043, 1703, 1991, 2061
genetic structuring, 47
genetic uniformity, 2133
genetic variability, 693, 791, 895
genetic variation, 163, 263, 323, 453, 463, 645, 675, 725, 975, 1719, 1769, 1899, 2037, 2049, 2127
genetic provenances, 633
genetically modified plants, 1733
genetics, 1761
genets, 2003
geographic mosaic, 1719
geographical information systems, 123
germplasm accessions, 813
germplasm management, 514
Gigaspora margarita, 37
glacial event, 1879
glacial refugia, 1387
glacial relict, 1363
glasshouse, 1867
Glomales, 659, 915
glufosinate resistance, 603
Gnamptogenys striatula, 2143
good genes, 2115
gorilla, 1556
Gracilaria gracilis, 700, 1533
grayling, 1756
grebe, 687
Grevillea macleayana, 689
grey seal, 1417
gut-content analysis, 1467, 2081
Gymnostoma, 1781
gypsy moth, 1443

habitat fragmentation, 617, 1093
Haematophus ostralegus, 181
hair DNA, 133
hair tissue, 1749
hake, 1357
haplochrome cichlids, 895
haplo-diploidy, 1533
haploid megagametophytes, 477
Haplostachys haplostachya, 617
Hawai'i, 2127
Hawaiian mint, 617
heather, 2037
Helicoverpa armigera, 1467
Heloniopsis, 1360
helper, 513
Heteropogon contortus, 2127
heterozygosity, 167, 1753, 1879
Hippophae rhamnoides, 791
Hippotragus, 227
Hirundo rustica, 399
homology, 15
honey bee, 1358
Hoplostethus atlanticus, 2145
Hordeum, 505
host plant evolution, 1297
host plant preference, 1297
host–parasite interaction, 89
Hyacynthoides non-scripta, 659
hybrid zone, 419
hybrid, 1431
hybridization(s), 1, 139, 379, 739, 1080, 1091, 1141, 1981
hydrography, 1043
Hyla arenicolor, 547, 563
Hylocomium splendens, 1037
Hymenoptera, 690
Hypogeomys antimena, 1259
hypovirus, 843

ice age refugia, 763
identification, 37, 2141
idiomorph, 1947
Illex, 165
inactivation, 681
inbreeding, 803
indirect benefits, 2115
individual classification, 1703
insects, 1443, 1935
intergenic region, 521
intergenic spacer, 2023
internal transcribed spacer, 1037
interspecific hybridization, 1179
inter-SSR, 725
intraspecific phylogeography, 1789
intraspecific variation, 521, 1405
introductions, 379
introgression, 1405, 1733, 2015
introgressive hybridization, 365, 1239
intron, 1247, 2147
invasion, 1239
Ips typographus, 763
Iris, 1091
island birds, 941
island variation, 2071
isolation by distance, 1481, 1539, 1991
isolation efficiency, 891
isozyme electrophoresis, 763
isozymes, 1667
ISSR, 2061
ISSR, 443
ITS, 205

Japanese field vole, 163
juvenile Atlantic salmon, 189

kakapo, 1349
kin aggregation, 803
kin distribution, 189
kinship, 1231
koala, 999

La Selva, 1585
Laccaria amethystina, 2003
Lacerta vivipara, 518, 1627
Lake Malawi, 1013, 1521
Lambertia, 1789
Lampropeltis zonata, 1923
landscape, 1481
Lecythidaceae, 521
Lemuridae, 901
lemurs, 901
Lepidochelys kempi, 819
Lepus corsicanus, 1805
Leucaena lleucocephala, 711
Leuciscus cephalus, 989
Leymus, 309
lichens, 2049
life history, 1837
likelihood, 819, 1231
Limonium, 645
lineage sorting, 1405
Linepithema humile, 1078
linkage disequilibrium, 277
linkage, 15
lizards, 518
local endemism, 899
Loligo, 407
Lolium rigidum, 123
long-toed salamander, 1633
Louisiana irises, 1091
Luscinia svecica, 1331
lymegrass, 309
Lyonothamnus floribundus, 471

Macaca sylvanus, 433
Macaronesia, 1797
Macruronus magellanicus, 1086
Madagascar, 513, 1259
magnetic beads, 879
Magnolia, 698
malaria vector, 289
male ornaments, 399
male-biased dispersal, 1521
male-biased gene flow, 1105
management, 2037
management units, 347, 999, 1613
mangrove, 2061
Manilkara zapota, 627
Mantel test, 589
mapping microsatellites, 1951
mapping, 1758
marine angiosperm, 317
marine fisheries, 1889
marine fishes, 1223
marine turtles, 819
marker, 907
marsupials, 1545
MAT, 1947
maternal inheritance, 1443
mating success, 1199
mating system(s), 217, 899, 1027, 1199, 1331, 1475
mating type(s), 1947, 1971
Mbuna, 1013
Medicago sativa, 1317
medicinal plant, 151
Mediterranean fruit fly, 1247
meiosis, 271
Melaleuca, 633

Melanogrammus aeglefinus, 1355
Melanoides tuberculata, 1141
Meliaceae, 1899
meliponid, 690
Meliponinae, 690
Mendelian inheritance, 157
Merlucius merlucius, 1357, 1889
Mhc, 1127, 2071
MHC, 1259
microgeographic differentiation, 263
microsatelites, 1309, 1497
microsatellite DNA, 159, 407, 589, 1063, 1749, 1889
microsatellite loci, 700
microsatellite markers, 167, 1819
microsatellite polymorphism, 317
microsatellite, 165, 338, 344, 419, 505, 513, 520, 685, 687, 819, 831, 897, 903, 1043, 1080, 1081, 1088, 1347, 1355, 1358, 1360, 1481, 1556, 1558, 1559, 1571, 1655, 1703, 1765, 1867, 1899, 1959, 1963, 2015
microsatellite-enriched library, 160
microsatellites, 139, 107, 157, 169, 181, 189, 239, 271, 299, 329, 335, 336, 340, 342, 387, 433, 517, 518, 523, 633, 675, 689, 693, 698, 803, 879, 895, 901, 905, 941, 1013, 1075, 1076, 1078, 1084, 1086, 1091, 1105, 1141, 1199, 1351, 1352, 1357, 1417, 1457, 1475, 1513, 1521, 1551, 1753, 1754, 1756, 1761, 1763, 1957, 1961, 1964, 1966, 2003, 2141, 2143, 2145, 2147
microsatellite markers, 514
Microstomus pacificus, 923
Microtus, 1235
migration, 123, 277, 1013
minimum-spanning network, 1037, 1405
minisatellites, 941
mismatch analysis, 1805
mitochondria, 1443
mitochondrial DNA, 23, 83, 99, 239, 347, 547, 563, 763, 989, 999, 1093, 1363, 1509, 1603, 1627, 1743, 1749, 1911
mitochondrial marker, 1443
mitochondrial-like nuclear sequences, 133
mixed mating, 1947
MLEE, 711
molecular detection, 871
molecular marker(s), 217, 1443, 1889
molecular phylogeny, 1563, 2023
molecular sexing, 399
monophyly, 1037
Monte-Carlo simulation, 1851
Monteverde, 865
moose, 1309
Moringa oleifera, 463
Moringaceae, 463
morphology, 365
morphotype, 1603
mosquitofish, 157
moss, 753
mtDNA control region, 923, 941, 1613, 1805
mtDNA, 133, 227, 289, 387, 1069, 1155, 1387, 1457, 1563, 1593, 1766, 2089
multiple mating, 1819
multiple origins, 253
multiple paternity, 107, 819, 1375, 1475
multivariate analysis, 123, 419
Murinae, 107
museum skins, 1075
muskox primers, 675
muskoxen, 675
Mustelidae, 1352
Mustella erminea, 1352
Mustella vison, 1352
mutation bias, 271
mutation rate, 1211
myco-heterotrophy, 1719
mycorrhizal ecology, 1837
mycorrhizal roots, 37
Mycosphaerella, 523

natal dispersal, 299
natural hybridization, 1341
natural populations, 379
nearctic–neotropic migrants, 1553
nematode, 493
neotropical migrant bird, 1551
Nerodia sipedon sipedon, 329
nested PCR, 2137
neutral theory, 1055
New Zealand, 1781
nickel, 1781
nine-banded armadillo, 1743
nonindependent comparisons, 2105
noninvasive, 1237
nonradioactive labelling, 685, 1558
North America, 1667
Noturus, 1563
nrDNA ITS, 1341
nuclear and mitochondrial DNA sequences, 2049
nuclear gene tree, 1750
nuclear genes, 2147
nuclear microsatellite DNA, 347
nuclear mtDNA insertions, 133
nucleotide diversity, 2089
null allele(s), 1475, 1481
nutritional mediator, 855

offspring ratio, 399
oilseed rape, 603
Oleaceae, 1088
Oncorhynchus, 1055
Onopordum, 1239
Onychophora, 1375
orange roughy, 2145
origins, 2015
Oryctes rhinoceros, 1552
Oryctolagus cuniculus, 299
ostrich, 667
otoliths, 893
outcrossing rate, 2061
Ovis aries, 1199

parametric tests, 1851
parapatry, 1911
parentage, 1231
parental care, 399
parthenogenesis, 693, 965, 1141, 1553, 1655
Passeriformes
passerine, 159, 695
Patagonian toothfish, 1753
paternity, 399, 513, 1091, 1259, 1819
paternity analysis, 217, 1417
paternity assignment, 577
paternity inference, 1765
paternity skew, 577
pathenogenesis, 531
pathogenic fungi, 1081
PCR, 167, 667, 683, 685, 698, 879, 893, 903, 905, 1355, 1360, 1552, 1556, 1558, 1750, 1766, 1959, 1964, 2081, 2147
PCR artefacts, 493
PCR primers, 521
PCR-RFLP, 485, 1247
pedigree, 1231
Perca fluviatilis, 1387
Percidae, 1961
perennial herb, 1360
peripatus, 899
peripheral populations, 323
permutation tests, 1851
Peromyscus leucopus, 1063
Peromyscus, 167
Peruvian Amazon, 199
Phalacrocorax aristotelis, 671
Phialophora gregata, 871
phyloegeography, 2023
phylogenetic analysis, 1431, 1683
phylogenetics, 1805
phylogeny, 1750
phylogeography, 1, 227, 239, 253, 547, 563, 989, 1037, 1363, 1387, 1431, 1509, 1593, 1743, 1797, 1911, 1923
Physa acuta, 1076
phytopathogenic fungi, 523
Pinniped, 1417
Pinus, 1593
Pinus sylvestris, 15, 83
pioneer plant, 791
plankton, 683
plant conservation genetics, 1733
plant invasion, 1179
plant species diversity, 1827
Plantago, 1027
plant–insert interactions, 1593
plants, 689
plasmid patterns, 711
Plectosporium tabacinum, 871

Pleistocene, 989, 1911
Pleuronectidae, 923
Plocepasser mahali, 903
Ploecidae, 90, 695
Poaceae, 263
pocket gophers, 1075
Podarcis muralis, 518
Podicipediformes, 687
Poeciliidae, 157
polar bear, 1571
pollen, 217, 831
pollination, 387
polyandry, 577
polygyny, 1529
polymorphism(s), 1259, 1556, 1756, 1760, 1879
polyploidy, 253, 1317
population fragmentation, 433
population analysis, 309
population biology, 493
population density, 1641
population differentiation, 329, 627, 1879, 2127
population genetic structure, 145, 692, 951, 1309, 1285, 1539
population genetics, 1076
population genetics, 1117
population genetics, 1360
population genetics, 47, 139, 165, 169, 317, 335, 340, 347, 407, 433, 589, 633, 703, 775, 1497, 1641, 1805, 2105
population structure, 59, 113, 181, 289, 645, 1027, 1076, 1078, 1105, 1317, 1357
population structure, 1481, 1571, 1753, 1761, 2003, 2089
population subdivision, 1851
population(s), 1037, 1758
Populus tremuloides, 1769
positive selection, 1055
postglacial colonization, 83, 1387
postglacial dispersal, 23, 1155
postglacial recolonization, 239
prairie, 1693
predation, 1467
predator–prey interactions, 2081
preservation, 681, 1935
primates, 1556
primer(s), 165, 687, 903, 1552, 195, 19649
Procellariiformes, 338
protein, 1935
protein polymorphism, 1199
Prumus africana, 151
pseudogene, 2023

θ, 1513
quagga mussel, 692
quantitative PCR, 1358, 1827
quaternary, 1627
queenless ants, 1957
quelea, 695
Quercus, 831, 2137

radioactive labelling, 685
random amplified polymprhic DNA, 323, 379, 865, 1971
RAPD enrichment, 891
RAPD markers, 2127
RAPD phenotypes, 477
RAPD
RAPD, 15, 113, 145, 151, 263, 335, 365, 443, 453, 471, 493, 617, 627, 667, 725, 753, 775, 791, 885, 907, 965, 975, 1171, 1285, 1317, 1387, 1443, 1533, 1693, 1769, 1981
RAPD-PCR, 1467
rare plant, 443
ratite(s), 667, 1963
Rattus fuscipes greyii, 1351, 2071
rbcL, 485
rDNA, 289, 309, 2003
recessive, 907
red wolves, 139
redfish, 685, 1703
reindeer, 879
relatedness, 1231, 1521, 1819
repeat motifs, 1754
repetitive sequence, 683
representational difference analysis (RDA), 1235
reproduction, 453
reproductive success, 1417, 2115
reproductive success
resource family, 1758
restriction fragment length polymorphism
reticulate evolution, 739
retsriction site polymorphism, 1069
RFLP, 23, 205, 253, 951, 1431
Rhinolophus, 1959
Rhizobium, 711
Rhizobium etli, 277
rhizosphere colonization, 855
Rhodophyta, 700, 1533, 1443
ribsosomal DNA, 1037
ribosomal internal transcribed spacers, 37
ribosomal large subunit sequence databases, 1837
RNA, 1935
Rosaceae, 471
Royal Mahogamy, 1585
rRNA, 915
rrs analysis, 1273
R_{ST}, 1513
RT1.Ba, 2071
RT-PCR/RFLP, 843
ruminants, 879

sage grouse, 1457
Salmo salar, 169
Salmo trutta, 1991
salmon, 1055
Salvinus, 1155
sample size, 433
sampling variance, 2105
Sarconeureum glaciale, 753
Sarotherodon melanotheron, 803
Saxifraga oppositofolia, 453
Scaptotrigona postica, 690
SCAR, 667, 965
SCAR markers, 1467
Schetba rufa, 513
Scirpus, 379
Scolytidae, 763
Scorpaenidae, 685
Scutellaria indica, 1285
Scutellospora, 915
sea buckthorn, 791
sea ice, 1571
seabream, 897
Sebastes, 685, 1703
seed production, 603
seedling regeneration, 1769
selection, 277
self-incompatibility, 1947
Semibalanus balanoides, 1558
seminatural woodland, 659
sequencing, 1593
Sesarma, 683
sex bias, 1063
sex identification, 671, 1237
sexing, 1349
sex-linked marker(s), 518, 1533
sex-marker, 667
sexual reproduction, 2049
sexual selection, 1331
sexuality, 965
Shannon's Index, 775
sheep, 879
shell, 1141
short tandem repeat (STR), 692
sibling species, 1971
Silurus glanis, 1964
silver fir, 1117
silver-eye, 159
similarity index, 2105
simple sequence repeats (SSR), 505, 891, 1117, 1585
single nucleotide polymorphism, 1081
single-locus DNA markers, 698
single-strand conformational polymorphism, 1081
Sinorhizobium, 855, 1273
size standard, 1347
snail, 1141, 1363, 1760
snakes, 1923
Soay sheep, 1199
social insects, 577, 1078, 1497, 1957
social organization, 181
social structure, 99, 299
software, 1231
soil microflora, 1273
Sophora, 725
southwestern USA, 547
soybean disease, 871
Spartina, 1179

Sparus aurata, 897
spatial gebetic differentiation, 1117
specialization, 1297
speciation, 1457
species differentiation, 309
species flocks, 589
species identification, 485
species-specific DNA markers, 1981
specific primers, 37
specimens, 681
sperm bias, 577
sperm competition, 905
spermathecae, 1375
spore, 37
squid, 165
squid, 407
SSCP, 89, 1259, 1593, 1655, 2147
SSR, 344, 690, 700
SSU, 915
SSU rRNA, 659
statistical power, 1851
Stenella coeruleoalba, 1069
stepwise mutation model, 1513
Stizostedion vitreum, 336, 1961
stock structure, 407, 1889
Struthio camelus, 671
Stylosanthes guianensis, 514
subdivided populations, 1513
subspecies, 1027, 1923
succession, 485
Sus scrofa leucomystax, 1509
Sus scrofa riukiuanus, 1509
Swainson's thrush, 1551
Swainson's warbler, 1553
Swietenia humilis, 1899
sympatry, 1603
syngens, 1971
Taraxacum, 2023
TAS, 999
taxonomy, 1805
tea tree, 633
Teleostei, 1355, 1961
temporal method, 1171, 1633
temporal study, 893
temporal variation, 169
tetranucleotide, 1760
Tettigonid, 905
Thamnophis sirtalis, 1475
thelyokous parthenogenesis, 1497
thistle, 1239
Thomomys, 1075
threatened plant, 75
three-spined stickleback, 342
Thymallus, 1756
Thymallus arcticus, 23
Ti plasmid, 1273
tiger quolls, 1613
tillapias, 803
transferrin, 1055
translocation, 1545
trigonid, 690
trinucleotide, 1760
trnL–trnF, 2023
tropical pioneer tree, 199
tropical rain forest, 1641
tropical tree, 151, 1765
tropical wet forest, 865
tuco-tucos, 1529, 1754
turfgrass, 1211
Tursiops, 1603
Tursiops truncatus, 1766
Typha angustifolia, 1981
Typha glauca, 1981
Typha latifolia, 1981
ultramafic soil, 1781
understorey palms, 1641
urine, 1237
Ursus maritimus, 1571

VANS1, 915
variance effective population size, 1223
variance in family size, 1223
vegetative cover, 1769
vertebrate, 2147
viability, 37
Viola reichenbachiana, 365
Viola riviniana, 365
virus, 1552
virus-vector, 1683
viviparity evolution, 1627

W chromosome, 671
walleye, 336, 1961
water snakes, 329
water-mediated seed dispersal, 199
weaverbird, 903
weed, 1239
white eye, 159
white-browed sparrow weaver, 903
whiteflies, 1683
white-footed mouse, 1063

Yushania, 263

Zacco pachycephalus, 1879
zoogeography, 23, 1155
Zostera marina, 317
Zosterops, 159